



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

IV. *Spermatozoa observed within the Mammiferous Ovum.*

By MARTIN BARRY, M.D., F.R.SS. L. and E.

Received November 24,—Read December 8, 1842.

AS the results of my researches in Embryology have all been communicated to the Royal Society*, it seems proper to offer to its notice a single observation which I have lately made.

On a former occasion† I stated that at certain periods an orifice was sometimes visible in the thick transparent membrane (“*zona pellucida*”) of the mammiferous ovum; and that once I had seen an object very much resembling a spermatozoon in the orifice. But spermatozoa, so far as I am aware, have never been described as seen *within* the ovum of any animal. It may therefore be interesting to physiologists to be informed that about a fortnight since, in examining some ova of the Rabbit of twenty-four hours, from the Fallopian tube,—in which the orifice above-mentioned was no longer visible,—I unexpectedly discerned a number of spermatozoa in their interior. These ova were submitted to the inspection of Professor OWEN, and I afterwards showed one of them to Professors SHARPEY and GRAINGER, all of whom agreed that the spermatozoa were *contained within the ovum*‡.

London, 21st November, 1842.

* Philosophical Transactions, 1838–39–40–41.

† Ibid. 1840, p. 533.

‡ [The ova were in that state in which the essential part—the germ—consists of two cells. The spermatozoa lay around and between these cells; and when the ova were first examined I thought I discerned traces of spermatozoa even *within* the cells.

While the paper is going through the press, the opportunity is afforded me for mentioning that I have this day confirmed the observation above recorded; several ova from the Fallopian tube of another rabbit, in a somewhat earlier stage, having presented spermatozoa in their interior;—i. e. (as in the first observation) within the thick transparent membrane (“*zona pellucida*”) brought with the ovum from the ovary.—31st March, 1843.]